


Preparing and Sending Artwork

Step 1	Step 2	Step 3	Step 4			DISPLAYS2GO
Create Your Artwork	Preferred File format	Colour Matching	File Submission Options			WE MAKE YOU LOOK GOOD
We recommend using Adobe InDesign, Adobe Illustrator, Adobe Photoshop or CoreIDraw to create your artwork.	Supply a high-res PDF file for printing. All fonts converted to outlines / paths. Images to be sized150dpi at 100%.	Where a specific colour is to be matched, please provide a CMYK breakdown and Pantone PMS number.	Under 10mb? Email Direct to your	Under 2Gb? 'WeTransfer' displays2go.wetransfer.com	Over 2Gb? Courier Displays 2 Go	Need Help?
Use CMYK colour format (Not RGB).	بر		Displays 2 Go sales person or sales@displays2go.com.au	(Free service for files up to 2Gb)	60-62 Sawyer Lane Artarmon NSW 2064	1300 240 250 www.displays2go.com.au





Blade-2-Go 2.5m Scoop Single Sided

This document represents final artwork size inclusive of bleed

PRIMARY IMAGE AREA - GREEN Line


(it is highly recommended to keep all important text and images within the green line)


> TRIM AREA – GREY solid line: 645mm W x 2000mm H

> > **BLEED: 25mm**

FINISHED DOCUMENT DIMENSIONS – bleed included: 700mm W x 2050mm H

IMPORTANT INFORMATION: Remove GREEN line from artwork Leave GREY trim line on artwork Do not include crop marks Convert all fonts to paths/outlines Convert all spot colours to CMYK Final document to be saved as a Press Quality PDF Minimum resolution of 75ppi at 100%







Blade-2-Go 2.5m Scoop Double Sided

This document represents final artwork size inclusive of bleed

PRIMARY IMAGE AREA - GREEN Line

(it is highly recommended to keep all important text and images within the green line)

> TRIM AREA – GREY solid line: Each side: 645mm W x 2000mm H

> > **BLEED: 25mm**

FINISHED DOCUMENT DIMENSIONS – bleed included:

1390mm W x 2050mm H

IMPORTANT INFORMATION: Remove GREEN line from artwork

Leave GREY trim line on artwork Do not include crop marks Convert all fonts to paths/outlines Convert all spot colours to CMYK Final document to be saved as a Press Quality PDF Minimum resolution of 75ppi at 100%

FRONT



